

Safety Data Sheet

(EC) No 1907/2006 article 31

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: TEKINJECT EPOXY 300 A

Type of product: Mixture.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Only for professional use.

1.3. Details of the supplier of the safety data sheet

Company: TEKINJECT BV

Gounodstraat 2/25 BE-2018 Antwerp

Telephone: +32 494 239 441

E-mail address: info@tekinject.com

1.4. Emergency telephone number

24-hour emergency number:

Page: 1/12

National Poison Information Service: This is a generic EU Safety Data Sheet. Consult your specific Member State

version for this information.

2. Hazard Identification

· Classification according to Regulation (EC) No 1272/2008



Skin Irrit. 2 H315 Causes skin irritation
Eye Irrit. 2 H319 Causes serious eye irritation
Skin Sens. 1 H317 May cause an allergic skin reaction



GHS 09 Environment

Aquatic Chronic. 2 H411 Toxic to aquatic life with long lasting effects

Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms





GHS 07.

GHS 09

· Signal word Warning

Hazard-determining components of labelling:

Oxirane, monol(C12-14-alkyloxy)methyl derivs bis (4-(2,3-epoxypropoxy)phenyl propane formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol

· Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic with long lasting effects.

· Precautionary statements

P261 Avoid breathing dust/fumes/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves, Wear eye protection/ face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.Continue rinsing.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.

3. Composition/information on Ingredients

· **Description:** Mixture of substances with nonhazardous additions.

· Dangerous components:			
CAS: 68609-97-2	Oxirane, mono(C12-14-alkyloxy)methyl derivs	♣ Skin irritant 2, H315,	50-100%
EINECS: 271-846-8		Skin sense. 1, H317	
CAS 1675-54-3	Bis(2,3-epoxypropoxy)phenylpropane	♣ Skin irritant 2, H315,	10-50%
EINECS: 216-823-5		Eye irrit. 2, H319, Skin	
		sens. 1, H317	
CAS: 9003-36-5	Formaldehyde, oligomeric reaction products with	8 Aquatic chronic 2, H411,	10-25%
	1-chloro-2,3-epoxypropane and phenol	Skin irrit. 2, H315, Eye irrit.	
		2, H319, skin sense 1, H317	
CAS: 933999-84-9	EBL PD 03	8 Skin irrit. 2, H315, eye	2,5-10%
EC number: 618-		irrit. 2, H319, Skin sens. 1,	
939-5		H317, aquatic chronic. 3,	
		H412	

Additional information: For the wording of the listed hazard phrases refer to section 16

4. First aid Measures

- · Description of first aid measures
- After inhalation: Supply fresh air and to be sure call for a doctor. In case of unconsciousness place patient stable in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse troroughly.
- · After eye contact: Rinse opened eye for several minutes under running water, if symptoms persist, consult a doctor.
- · After swallowing: If symptoms persist, consult a doctor

5. Fire-figthing measures

- · Extinguishing media
- Suitable extinguishing agents: CO2, poweder or water spray. Fight larger fires with water spray or alcolhol resistant foam.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6. Accidental releases measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Inform repective authorities in case of spillage into water course or sewage system. Dillute with plenty of water; Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7. Handling and storage Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · Specific end use(s) No further relevant information available.

8. Exposure control/ personal protection

• Additional information about design of technical facilities: No further data; see item 7.

Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists valid during the making were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Avoid contact with eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Tightly sealed goggles

9. Physical and technical properties

Information on basic physical and c	hemical properties	
General Information		
· Appearance: Form:	Fluid	
Colour:	According to product specification	
· Odour:	Characteristic	
· Odour threshold:	Not determined.	
· pH-value:	Not determined.	
· Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling ra	nge: Undetermined.	
· Flash point:	> 93 °C	
Flammability (solid, gas):	Not applicable.	
· Decomposition temperature:	Not determined.	

· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure:	Not determined.
· Density at 20 °C:	Not determined.
· Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
· Solubility in / Miscibility with	
water:	Fully miscible.

· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic at 20 °C:	300 mPas
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	0.0 %
VOC (EC)	0.00 %
· Other information	No further relevant information available.

10. Stability and Reactivity

Reactivity No further relevant information available.

Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions No dangerous reactions known.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: No dangerous decomposition products known.

11. Toxicological informations

- Information on toxicological effects
- · Acute toxicity

Harmful if swallowed

J	LD/LC50 values relevant for classification:	
9003-36	9003-36-5 formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	
Oral	LD50	23,800 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rabbit)

- Primary irritant effect:
- · Skin corrosion/irritation

Causes skin irritation

Serious eye damage/irritation

- · Causes serious eye irritation
- Respiratory or skin sensitisation
- May cause an allergic skin reaction
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity
- · Based on available data the classification criteria are not met
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure
- · Based on available data the classification criteria are not met
- · STOT-repeated exposure
- · Based on available data the classification criteria are not met
- · Aspiration hazard Based on available data, the classification criteria are not met.

12. Ecological informations

- Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behaviour in environmental systems:
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.
- Ecotoxical effects: Remark: toxic for fish
- Additional ecological information:
- General notes: Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms.

- Results of PBT and vPvB assesments
- **PBT:** Not applicable
- **vPvB:** not applicable
- other adverse effects: no further relevant information available.

13. Disposal considerations

- · Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
 Recommended cleaning agents: water, if necessary together with cleansing agents.

14. Transport inofrmations

Transport morninations	
· UN-Number · ADR, IMDG, IATA	UN 3082
· UN proper shipping name · ADR	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (formaldehyde, oligomeric
· IMDG	Reaction products with 1-Chloro-2,3-epoxypropane and phenol ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (formaldehyde, oligomeric
	Reaction products with 1-Chloro-2,3-epoxypropane and phenol MARINE POLLUTANT
· IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (formaldehyde, oligomeric Reaction products with 1-Chloro-2,3-epoxypropane and phenol

- Transport hazard class(es)
- · ADR, ADN, IMDG, IATA





· Class	9 Miscellaneous dangerous substances and articles
· Label	9
· Packing group · ADR, IMDG, IATA	III
· Environmental hazards:	
- Marine Polutant:	Symbol (fish and tree)
- Special marking (ADR)	Symbol (fish and tree)
- Special marking (IATA)	Symbol (fish and tree)
· Special precautions for user	Warning: miscellaneous dangerous substances and Articles
- Hazard identification number (Kemler code).	90
- EMS-Number	F-A, S-F
- Storage categorie	A
· Transport additional information: - ADR	
- Limited quantities (LQ)	5L
- Expected quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging : 1000 ml

- Transport category	3
- Tunnel restriction code	- -
• IMGD	
- Limited quantities (LQ)	5 L
- Expected quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS
	SUBSTANCE, LIQUID, N.O.S. (FORMALDEHYDE,
	OLIGOMERIC REACTION PRODUCTS WITH 1-
	CHLORO-2,3-EPOXYPROPANE AND PHENOL),9,III

15 Regulatory informations

Safety, health and environmental regulations/legislation specific for the product

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

Seveso category E2 Hazardous to the aquatic environment.

Qualifying quantity (tonnes) for the application of lower-tier requirements: 200 t

Qualifying quantitys (tonnes) for the application of upper-tier requirements: 500 t

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out

16. Additionnal information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases referred to under sections 2 and 3

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation

H411 Toxic to aquatic life with long lasting

effects

H412 Harmful to aquatic life with long lasting

effects

• **Department issuing SDS:** Product safety department.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of

Chemicals

EINECS: European Inventory of Existing Commercial Chemical

Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical

Society) VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very

Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity - oral – Category 4

* Data compared to the previous version altere





Safety Data Sheet (EC) No 1907/2006 article 31

1.	Identification	of the	substance/mixture	and of the	company/undertaking

1.1. Product identifier

Product name: TEKINJECT EPOXY 300 B

Mixture. Type of product:

1.2. Relevant identified uses of the substance or mixture and uses advised against

Only for professional use. Identified uses:

1.3. Details of the supplier of the safety data sheet

TEKINJECT BV Company:

Gounodstraat 2/25 BE-2018 Antwerp

+32 494 239 441 Telephone:

E-mail address: info@tekinject.com

1.4. Emergency telephone number

24-hour emergency number:

Page: 1/12

National Poison Information Service: This is a generic EU Safety Data Sheet. Consult your specific Member State

version for this information.

2. Hazard Identification

· Classification according to Regulation (EC) No 1272/2008



Acute Tox. 4 H302 Harmful if swallowed Acute Tox. 4 H332 Harmful if inhaled

Skin Sens. 1 H317 May cause an allergic skin reaction

Aquatic Chronic 3 H412 Harmful to aquatic lif with long lasting effects.



Skin Corr. 1B H314 Causes severe skin burns and eye damage

Eye Dam. 1 H318 Causes serious eye damage

Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms





GHS 07.

· Signal word Danger

· Hazard-determining components of labelling:

3-aminomethyl-3,5,5-

trimethylcyclohexylamine Benzyl alcohol

m-phenylenebis(methylamine)

salicylic acid

· Hazard statements

H302+H332 Harmful if swallowed or if inhaled

H314 Causes severe skin burns and eye damage

H317 May cause an allergic skin reaction

H412 Harmful to aquatic with long lasting effects.

· Precautionary statements

P260 Do not breatch dusts or mists.

P303+P361+P353 IF ON SKIN (or hair): take off imedialtely all contaminated clothing, rinse skin with water (or shower)

P305+P351+P338 IF IN EYES: rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor

P321 Specific treatment (see label)

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3. Composition/information on Ingredients

· **Description:** Mixture of substances with nonhazardous additions.

· Dangerous components:			
CAS: 100-51-6 EINECS: 202-859-9	Benzyl alcohol	■ Acute tox. 4, H302; Acute tox. 4, H312; Acute tox. 4, H332; Eye irrit. 2, H319	25-50%
CAS 2855-13-2 EINECS: 220-666-8	3-aminomethyl-3,5,5-trimethylcyclohexylamine	■ Skin corr 1B, H314; Eye dam. 1, H318; Acute tox.4, H332; Aquatic Chronic. 3, H412	25-50%
CAS: 1477-55-0 EINECS: 216-032-5	m-phenylenebis(methylamine)	8 Skin corr. 1B, H314; acute tox. 4, H302; Acute tox. 4, H332; Aquatic chronic. 3, H412	2,5-10%
CAS: 69-72-7 EC number: 200- 712-3	Salicylic acid	8 repr. 2; H361; Eye dam. 1, H318; Acute tox. 4, H302	>2,5%

Additional information: For the wording of the listed hazard phrases refer to section 16

4. First aid Measures

- Description of first aid measures
- General information: Immediately remove any clothing soiled by the product. Symptoms of poisoning may even occur after several hours: therefor medical observation for at least 48 hours after the accident.
- · After inhalation: Supply fresh air and to be sure call for a doctor. In case of unconsciousness place patient stable in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water, then consult a doctor.
- After swallowing: Call for a doctor immediately. Drink plenty of water and provide fresh air.

5. Fire-figthing measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

6. Accidental releases measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Inform respective authorities in case of spillage into water course or sewage system. Dilute with plenty of water; Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7. Handling and storage Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities.
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · Specific end use(s) No further relevant information available.

8. Exposure control/ personal protection

· Additional information about design of technical facilities: No further data; see item 7.

Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists valid during the making were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages, and feed.

Wash hands before breaks and at the end of work.

Avoid contact with eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time must be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Tightly sealed goggles

9. Physical and technical properties

Information on basic physical and c	chemical properties	
· General Information		
· Appearance:		
Form:	Fluid	
Colour:	According to product specification	
· Odour:	Characteristic	
· Odour threshold:	Not determined.	
· pH-value:	Not determined.	
· Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling ra	unge: 205,4 °C	
· Flash point:	101 °C	
Flammability (solid, gas):	Not applicable.	
· Decomposition temperature:	Not determined.	

· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	1,3 Vol %
Upper:	13 Vol %
· Vapour pressure at 20°C:	0,1 hPa
Density at 20 °C:	Not determined.
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
water:	Fully miscible.

· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic at 20 °C:	100 mPas
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	25 - 50 %
VOC (EC)	25 - 50 %
· Other information	No further relevant information available.

10. Stability and Reactivity

Reactivity No further relevant information available.

Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions No dangerous reactions known.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: No dangerous decomposition products known.

11. Toxicological informations

- Information on toxicological effects
- · Acute toxicity

Harmful if swallowed

· LD/LC50	· LD/LC50 values relevant for classification:			
100-51-6 Benzyl alcohol				
Oral	LD50	1,040 mg/kg (Mouse) 1,230 mg/kg (rat) 1,040 mg/kg (rabbit)		
Dermal	LD50	2,000 mg/kg (rabbit)		
		4,178 mg/l (rat)		
2855-13-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine				
Oral	LD50	1,030 mg/kg (rat)		
Dermal	<i>LD50</i>	1,840 mg/kg (rabbit)		
1477-55-0 m-phenylenebis(methylamine)				
Oral	LD50	930 mg/kg (rat)		
Dermal	LD50	3,100 mg/kg (rabbit)		

- · Primary irritant effect:
- · Skin corrosion/irritation

Causes severe skin burns and eye damage

Serious eye damage/irritation

- · Causes serious eye damage
- Respiratory or skin sensitisation
- · May cause an allergic skin reaction
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity
- · Based on available data the classification criteria are not met
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure
- · Based on available data the classification criteria are not met
- · STOT-repeated exposure
- · Based on available data the classification criteria are not met
- · Aspiration hazard Based on available data, the classification criteria are not met.

12. Ecological informations

Toxicity

Aquatic toxicity			
100-51-6 Benzyl alcohol			
LC50/96 h	460 mg/l (fathead minnow)		
EC50/24 h	400 mg/l (daphnia)		
EC50/96 h	640 mg/l (algae)		
2855-13-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine			
LC50/96 h	110 mg/l (zebrafish)		

- Persistence and degradability No further relevant information available.
- Behaviour in environmental systems:
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.
- Ecotoxical effects:
- Remark: harmful for fish
- Additional ecological information:
- General notes: Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised. Danger to drinking water if even small quantities leak into the ground. Harmful for aquatic organisms.

- Results of PBT and vPvB assessments
- **PBT:** Not applicable
- vPvB: not applicable
- other adverse effects: no further relevant information available.

13. Disposal considerations

- · Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleaning agents: water, if necessary together with cleansing agents.

14. <u>Transport inofrmations</u>

- · UN-Number
- · ADR, IMDG, IATA

UN 2289

· UN proper shipping name

· ADR · IMDG, IATA 2289 ISOPHORONEDIAMINE ISOPHORONEDIAMINE

- · Transport hazard class(es)
- · ADR, ADN, IMDG, IATA



· Class · Label	8 Corrosive substances
· Packing group · ADR, IMDG, IATA	III
· Environmental hazards:	Not applicable
· Special precautions for user	Warning: corrosive substances
- Hazard identification number (Kemler code).	80
- EMS-Number	F-A, S-B
- Storage categorie	A
- Segregation Code	SG35 stow "separated from" SGG1-acids
Transport additional information:	
- ADR	
- Limited quantities (LQ)	5L
- Expected quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
- Transport category	3
 Tunnel restriction code IMGD 	E
	5L
Limited quantities (LQ)Expected quantities (EQ)	Code: El
- Expected quantities (EQ)	
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

15 Regulatory informations

Safety, health and environmental regulations/legislation specific for the product

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out

16. Additionnal information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases referred to under sections 2 and 3

- H302 Harmful if swallowed.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H319 Causes serious eye irritation
- H332 Harmful if inhaled
- H361 Suspected of damaging the unborn child
- H412 Harmful to aquatic life with long lasting effects

Department issuing SDS:

Product safety department.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement

concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of

Chemicals

EINECS: European Inventory of Existing Commercial Chemical

Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical

Society) VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very

Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity - oral –Category 4

* Data compared to the previous version altered

