(EC) No 1907/2006/EC article 31

3

|   | IENIN              | JECT PU 2C FLEX A-component  | 03-11-20 |
|---|--------------------|--|----------|
| Identification of the   | e substance/mixtu  | ire and of the company/undertaking   |          |
| <b>Product identifier</b><br>Product name:<br>Type of product : | TEKI               | NJECT PU 2C FLEX A-component<br>Mixture  |          |
| Relevant identified<br>Identified uses: Only                    |                    | tance or mixture and uses advised against use.   |          |
| Details of the supp   | lier of the safety | data sheet   |          |
| Company:  | Kruisbl            | JECT BV<br>ok 6<br>20 HOOGSTRATEN  |          |
| E-mail address:   |                    | <u>ekinject.com</u>  |          |
| Emergency telepho   | one number         |  |          |
| 24-hours emergency  | number:            | +32 494 239 441  |          |
| National poison info  | ormation service:  | This is a generic EU Safety Data Sheet. Cons<br>specific member state version for this information |          |
|   | n <b>n</b>         |  |          |
| Hazard Identification   | <u>711</u>         |  |          |

Acute Tox. 4

H302 Harmful if swallowed.

### · Label elements

· Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

· Hazard pictogrammes



**GHS 07** 

· Signal word : Warning

· Hazard-determination components of labeling Polymer of glycerol and propylene oxide.



(EC) No 1907/2006/EC article 31

Version 1.00

# TEKINJECT PU 2C FLEX A-component

03-11-2023

Hazard statements
H302 Harmful if swallowed.
Precautionary statements
P264 Wash thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.

P301+P312 IF SWALLOWED: call a POISON CENTER/doctor if you feel unwell.

P330 Rinse mouth.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable
- **vPvB:** Not applicable

# 3. <u>Composition/information on ingredients</u>

**Description:** mixture of substances with nonhazardous additions.

| Dangerous components :              |   |                   |            |  |
|-------------------------------------|---|-------------------|------------|--|
| CAS : 25791-96-2                    | Polymer of glycerol and propulene oxide | Acute tox 4, H302 | 45 - 100 % |  |
|                                     | polypopyleenglycol                      | Acute tox 4, H302 | 5 - 20%    |  |
| CAS : 78-08-0<br>EINECS : 201-081-7 | Triethoxy(vinyl)silane                  | Flam. Liq., H226  | ≤ 3 %      |  |

Additional information: For the wording of the listed hazard phrases refer to section 16.

# 4. First aid measures

- Description of first aid measures.
- General information: Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- After inhalation: Supply fresh air and to be sure call for a doctor. In case of unconsciousness place the patient stable inside position for transportation.
- After skin contact: Immediately remove as much product as possible. Thoroughly use a waterless soap to remove the remaining product. Afterwards, rinse and wash with water and soap.
- After eye contact: Rinse opened eye for several minutes under running water. If symptomps persist, consult a doctor.
- After swallowing: If symptoms persist consult a doctor.

# 5. Fire-fighting measures

- Extinguishing media.
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- Special hazards arising from the substance or mixture: no relevant information available.
- Advise for firefighters: No relevant information available.
- **Protective equipment:** Mouth respiratory protective device.

(EC) No 1907/2006/EC article 31 TEKINJECT PU 2C FLEX A-component

Version 1.00

03-11-2023

### 6. Accidential releases measures

- Personal precautions, protective equipment and emergency procedures: Not required.
- Environmental precautions: Do not allow to enter sewers/surface or ground water.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binder, universal binder, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- References to other sections
   See section 7 for information and safe handling.
   See section 8 for information on personal protection equipment.
   See section 13 for disposal information.

# 7. Handling and storage

- **Precautions for safe handling:** ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about fire- and explosion protection: No special measures required.
- Conditions for safe storage, including any incompatibilities.
- **Storage:** No special requirements
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- **Specific end use(s):** No further relevant information available.

### 8. Exposure control/personal protection

- Additional information about design of technical facilities: No further data; see section 7.
- Control parameters
- Ingredients with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists valid during the making were used as basis.
- Exposure controls
- Personal protective equipment.
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages, and feed.

Wash hands before break and at the end of the work.

• Respiratory protection:

In case of brief exposure or low pollution, use respiratory filter device. In case of intensive or longer exposure, use self-contained respiratory protection device.

Protection of hands:

The glove material must be impermeable and resistant to the product/the substances/the preparation. Due to missing tests no recommendation to the glove material can be given.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

• Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefor to be checked prior to the application.

- Penetration time of glove material:
- The exact break through time must be found out by the manufacturer of the protective gloves and must be observed.
- Eye protection:

Tightly sealed goggles.



(EC) No 1907/2006/EC article 31 **TEKINJECT PU 2C FLEX A-component** 

Version 1.00

03-11-2023

# 9. Physical and technical properties

| • | Information on basic physical and chemical pro | perties                                       |
|---|--|---|
| • | General information                            |   |
|   | Appearance:                                    |   |
|   | Form   | Liquid.                                       |
|   | Colour   | Light yellow                                  |
|   | Odour  | Characteristic.                               |
| • | pH-value:                                      | Not determined.                               |
| • | Change in condition                            |   |
|   | Melting point/freezing point:                  | Not determined.                               |
|   | Initial boiling point and boiling range:       | Not determined                                |
| • | Flash point :                                  | 180 °C  |
|   | Flammability (solid,gas):                      | Not applicable.                               |
| • | Decomposition temperature:                     | Not determined.                               |
|   | Auto-ignition temperature:                     | Product is not selfigniting.                  |
| • | Explosive properties:                          | Product does not present an explosion hazard. |
| • | Explosion limits :                             | · · · ·                                       |
|   | Lower:   | Not determined                                |
|   | Upper:   | Not determined                                |
|   | Vapour pressure at 20 °C:                      | Not determined                                |
|   | Density at 20 °C:                              | 1,015 g/cm <sup>3</sup>                       |
|   | Relative density:                              | Not determinded.                              |
|   | Vapour density :                               | Not determined.                               |
|   | Evaporation rate:                              | Not determined.                               |
| • | Solubility in/miscibility with water:          | Not miscible or difficult to mix.             |
|   | Partition coefficient: n-octanol/water:        | Not determined.                               |
|   | Viscosity:                                     |   |
|   | Dynamic at 20 °C:                              | 300 mPa.s                                     |
|   | Kinematic:                                     | Not determined.                               |
|   | Solvent content:                               |   |
|   | Organic solvent:                               | 0,00 %  |
|   | VOC (EC):                                      | 0,00 %  |
|   | Other information:                             | No further relevant information.              |

# 10. Stability and reactivity

- Reactivity: No further relevant information available
- Chemical stability:
- Thermal decomposition/conditions to be avoided: No decomposition if used according to specification.
- Possibility of hazardous reactions: No dangerous reactions known.
- Conditions to avoid: No further relevant information available.
- Incompatible materials: No further relevant information available. .



(EC) No 1907/2006/EC article 31 TEKINJECT PU 2C FLEX A-component

Version 1.00

03-11-2023

### **<u>11.</u>** Toxicological information

- Information on toxicological effects
- Acute toxicity : Harmfull if swallowed

| LD/LC50 values relevant for classication:          |      |                            |
|--|------|----------------------------|
| 25791-96-2 Polymer of glycerol and propylene oxide |      |                            |
| Oral   | LD50 | 1,0000 – 2,000 mg/kg (Rat) |
| Dermal   | LD50 | >2,000 mg/kg (Rat)         |

- Primary irritant effect:
- Skin corrosion/irritation:
- Based on available data, the classification criteria are not met.
- Serious eye damage/irritation:
- · Based on available data, the classification criteria are not met
- Respiratory or skin sensitization:
- · Based on available data, the classification criteria are not met
- CMR effect (carcinogenity, mutagenicity and toxicity for reproductions):
- Germ cell mutagenicity: based on available data, the classification criteria are not met.
- **Carcinogenicity:** based on the available data the classification criteria are not met.
- **Reproductivity toxicity:** based on available data, the classification criteria are not met.
- **STOT-single exposure:** based on available data, the classification criteria are not met.
- STOT-repeated exposure: based on available data the classification criteria are not met.
- Aspiration hazard: based on available data, the classification criteria are not met.

### 12. Ecological information

- Toxicity
- Aquatic toxicity : No further relevant information available.
- **Persistence and degradability:** No further relevant information available.
- Behaviour in environmental systems: No further relevant information available.
- Bioaccumulative potential: No further relevant information available.
- Mobility in soil: No further relevant information available.
- **Ecotoxical effects:** No further relevant information available.
- **Remarks:** Harmful for fish.
- Additional ecological information: No further relevant information available.
- General notes: Water hazard class 1 (German Regulation) (Self-assessment): Slightly hazardous for
- water. Do not allow product to reach ground water, water source or sewage system.
- Results of PBT and vPvB assessments:
- **PBT:** not applicable.
  - vPvB: not applicable.

Other adverse effects: No further relevant information available.

### 13. Disposal consideration

- Waste treatment methods
- · Recommendation:
- Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.



(EC) No 1907/2006/EC article 31 TEKINJECT PU 2C FLEX A-component

Version 1.00

### 14. Transport information

| · UN-number                                    |                |  |
|--|----------------|--|
| · ADR, IMDG, IATA                              | Not regulated  |  |
| • UN proper shipping name                      |                |  |
| · ADR  | Not regulated  |  |
| · IMGD, IATA                                   | 6              |  |
|  |                |  |
| <ul> <li>Transport hazard class(es)</li> </ul> |                |  |
| · ADR, AND, IMDG, IATA                         |                |  |
| · Class  | Not regulated  |  |
| <ul> <li>Packing group</li> </ul>              |                |  |
| · ADR; IMDG, IATA                              | Not regulated  |  |
| • Environmental hazards :                      | Not applicable |  |
| • Special precautions for user                 | Not applicable |  |
| • UN « Model regulation » :                    | Not regulated  |  |

## **<u>15.</u>** <u>Regulatory information</u>

Safety, health and environmental regulations: legislation specific for the product.

Directive 2012/18/EU

Named dangerous substances – ANNEX 1: None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII: Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

Chemical safety assessment: A chemical Safety Assessment has not been carried out.

### 16. Additional information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### Relevant phrases referred to under sections 2 and 3:

H302 Harmful if swallowed.

### Abbreviations and acronyms:

ADR: European agreement concerning the International Carriage of Dangerous Goods by road) IMDG: International Maritime Code for Dangerous Goods IATA : International Ait Transport Association GHS : Globally Harmonised System of Classification and labelling of chemicals. EINECS: European Inventory of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the Ameriacan Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persitent, Bioaccummulative and Toxic vPvB: very Persitent and very Bioacummulative Flam Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity – oral – Category 4 Data compared to the previous version altered.

(EC) No 1907/2006/EC article 31 TEKINJECT PU 2C FLEX B-component

06-11-2023

| Vers      | tion 1.00   | TEKIN        | JECT PU 2C FLEX B-component  | 06-11-202 |
|-----------|---|--------------|--|-----------|
| <u>1.</u> | Identification of the sub                                       | stance/mixtu | re and of the company/undertaking  |           |
|           | <b>Product identifier</b><br>Product name:<br>Type of product : | TEKI         | NJECT PU 2C FLEX B-component<br>Mixture  |           |
|           | <b>Relevant identified uses</b><br>Identified uses: Only for    |              | tance or mixture and uses advised against use.   |           |
|           | Details of the supplier o                                       | f the safety | data sheet   |           |
|           | Company:  | Kruisbl      | JECT BV<br>ok 6<br>20 HOOGSTRATEN  |           |
|           | E-mail address:   |              | <u>ekinject.com</u>  |           |
|           | Emergency telephone n   | umber        |  |           |
|           | 24-hours emergency num  | iber:        | +32 494 239 441  |           |
|           | National poison informat  | ion service: | This is a generic EU Safety Data Sheet. Consuspecific member state version for this information of the state version for the state v |           |
| <u>2.</u> | Hazard Identification   |              |  |           |

Classification according to Regulation (EC) No 1272/2008



GHS08 Health hazard

| Resp. Sens 1 | H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. |
|--------------|---|
| Carc. 2      | H351 Suspected of causing cancer.   |
| Stot re2     | H373 May cause damage to organs through prolonged or repeated exposure.         |



| Skin Irrit. 2 | H315 Casuses skin irritation.             |
|---------------|---|
| Eye irrit. 2  | H319 Causes serious eye irritation.       |
| Skin sense. 1 | H317 May cause an allergic skin reaction. |
| STOT SE 3     | H355 May cause respiratory irritation.    |

# · Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.



(EC) No 1907/2006/EC article 31 TEKINJECT PU 2C FLEX B-component

Version 1.00

06-11-2023

# · Hazard pictogrammes



· Signal word : Danger

· Hazard-determination components of labeling

Diphenylmethanediisocyanate, isomers and homologues.

### · Hazard statements

H315 Causes skin irritation.

- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.
- H351 Suspected of causing cancer.
- H373 May cause damage to organs through prolonged or repeated exposure.
- · Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P284 In case of inadequate ventilation, wear respiratory protection.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P403+P233 Store in a well-ventilated place. Keep containers tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- Additional information: contains isocyantes. May produce an allergic reaction.
- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable
- **vPvB:** Not applicable

# 3. <u>Composition/information on ingredients</u>

Description: mixture of substances with nonhazardous additions.

| Dangerous components : |   |  |           |  |
|------------------------|---|--|-----------|--|
| CAS : 9016-87-9        | Diphenylmethanediisocyante,<br>isomers and homologues |  | 25 - 55 % |  |
|                        |   | Resp.Sens. 1, H334 ; Carc.<br>2, H351 ; STOT RE 2, H373  |           |  |
|                        |   | Acute tox 4, H332 ; Skin<br>Irrit. 2, H315 ; Eye Irrit. 2,<br>H319 ; Skin Sens. 1, H317 ;<br>STOT SE 3, H335 |           |  |

Additional information: For the wording of the listed hazard phrases refer to section 16.

(EC) No 1907/2006/EC article 31 TEKINJECT PU 2C FLEX B-component

Version 1.00

## 4. <u>First aid measures</u>

- Description of first aid measures.
- **General information:** Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- After inhalation: Supply fresh air and to be sure call for a doctor. In case of unconsciousness place the patient stable inside position for transportation.
- After skin contact: Immediately remove as much product as possible. Thoroughly use a waterless soap to remove the remaining product. Afterwards, rinse and wash with water and soap.
- After eye contact: Rinse opened eye for several minutes under running water. If symptomps persist, consult a doctor.
- After swallowing: If symptoms persist consult a doctor.

### 5. Fire-fighting measures

- **Extinguishing media.**
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- Special hazards arising from the substance or mixture: no relevant information available.
- Advise for firefighters: No relevant information available.
- **Protective equipment:** Mouth respiratory protective device.

# 6. Accidential releases measures

- Personal precautions, protective equipment and emergency procedures: Not required.
- Environmental precautions: Do not allow to enter sewers/surface or ground water.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binder, universal binder, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- References to other sections
  - See section 7 for information and safe handling.
  - See section 8 for information on personal protection equipment.
  - See section 13 for disposal information.

### 7. Handling and storage

- **Precautions for safe handling:** ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about fire- and explosion protection: No special measures required.
- Conditions for safe storage, including any incompatibilities.
- **Storage:** No special requirements
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- Information about storage in one common storage facility: Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- Specific end use(s): No further relevant information available.



(EC) No 1907/2006/EC article 31 TEKINJECT PU 2C FLEX B-component

Version 1.00

06-11-2023

### **<u>Exposure control/personal protection</u>**

| Ingredients with limit values that require monitoring at the workplace: |   |  |
|---|---|--|
| 9016-87-9 Diphenylmethanediisocyante, isomers and homologues            |   |  |
| WEL   | Short-term value : 0,07 mg/m <sup>3</sup> |  |
|   | Long-term value: $0,02 \text{ mg/m}^3$    |  |
|   | Sen; as -NCO                              |  |

- Additional information: The lists valid during the making were used as basis.
- Exposure controls
- Personal protective equipment.
- General protective and hygienic measures: Keep away from foodstuffs, beverages, and feed.
- Wash hands before break and at the end of the work. **Respiratory protection:**
- In case of brief exposure or low pollution, use respiratory filter device. In case of intensive or longer exposure, use self-contained respiratory protection device.
- **Protection of hands:**

Protective gloves

The glove material must be impermeable and resistant to the product/the substances/the preparation. Due to missing tests no recommendation to the glove material can be given.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

#### Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefor to be checked prior to the application.

### Penetration time of glove material:

The exact break through time must be found out by the manufacturer of the protective gloves and must be observed.

• Eye protection:



Tightly sealed goggles.



(EC) No 1907/2006/EC article 31 **TEKINJECT PU 2C FLEX B-component** 

Version 1.00

06-11-2023

### 9. Physical and technical properties

|     | Information on basic physical and chemical properties |   |  |
|-----|---|---|--|
|     | General information                                   |   |  |
| • 1 | Appearance:   |   |  |
|     | Form  | Liquid.                                       |  |
|     | Colour  | According to product specification            |  |
|     | Odour   | Characteristic.                               |  |
| · 1 | pH-value:   | Not determined.                               |  |
| · ( | Change in condition                                   |   |  |
|     | Melting point/freezing point:                         | Not determined.                               |  |
|     | Initial boiling point and boiling range:              | 172-173 °С                                    |  |
| · 1 | Flash point :   | 113 °C  |  |
| · ] | Flammability (solid,gas):                             | Not applicable.                               |  |
| · ] | Decomposition temperature:                            | Not determined.                               |  |
| · ] | Ignition temperature:                                 | 400 °C  |  |
| • 1 | Auto-ignition temperature:                            | Product is not selfigniting.                  |  |
| · ] | Explosive properties:                                 | Product does not present an explosion hazard. |  |
| · 1 | Explosion limits :                                    |   |  |
|     | Lower:  | Not determined                                |  |
|     | Upper:  | Not determined                                |  |
|     | Vapour pressure at 20 °C:                             | >0 hPa  |  |
| · ] | Density at 20 °C:                                     | 1,14 g/cm <sup>3</sup>                        |  |
| · ] | Relative density:                                     | Not determinded.                              |  |
| . 1 | Vapour density :                                      | Not determined.                               |  |
| · ] | Evaporation rate:                                     | Not determined.                               |  |
| · • | Solubility in/miscibility with water:                 | Not miscible or difficult to mix.             |  |
| · ] | Partition coefficient: n-octanol/water:               | Not determined.                               |  |
| . 1 | Viscosity:  |   |  |
| 1   | Dynamic at 20 °C:                                     | 300 mPa.s                                     |  |
|     | Kinematic:  | Not determined.                               |  |
|     | Solvent content:                                      |   |  |
|     | VOC (EC):   | 0,00 %  |  |
|     | Solids content:                                       | 0,00 %  |  |
|     | Other information:                                    | No further relevant information.              |  |

# 10. Stability and reactivity

- Reactivity: No further relevant information available
- **Chemical stability:**
- Thermal decomposition/conditions to be avoided: No decomposition if used according to specification.
- Possibility of hazardous reactions: No dangerous reactions known. .
- Conditions to avoid: No further relevant information available. .
- Incompatible materials: No further relevant information available. .
- Hazardous decomposition products: No dangerous decomposition products known.



(EC) No 1907/2006/EC article 31 TEKINJECT PU 2C FLEX B-component

Version 1.00

06-11-2023

### 11. Toxicological information

- Information on toxicological effects
- Acute toxicity : Harmfull if swallowed

| LD/LC50 values relevant for classication:                     |      |                       |  |
|---|------|-----------------------|--|
| 9016-87-9 diphenylmethanediisocyanate, isomers and homologues |      |                       |  |
| Oral  | LD50 | >10,000 mg/kg (Rat)   |  |
| Dermal  | LD50 | >9,400 mg/kg (Rabbit) |  |

### • Primary irritant effect:

- Skin corrosion/irritation:
- Causes skin irritation.
- Serious eye damage/irritation:
  - Causes serious eye irritation.
- Respiratory or skin sensitization:

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

- May cause an allergic skin reaction.
- CMR effect (carcinogenity, mutagenicity and toxicity for reproductions):
- Germ cell mutagenicity: based on available data, the classification criteria are not met.
- Carcinogenicity: suspected of causing cancer.
- **Reproductivity toxicity:** based on available data, the classification criteria are not met.
- STOT-single exposure: based on available data, the classification criteria are not met.
- STOT-repeated exposure: may cause damage to organs through prolonged or repeated exposure.
- Aspiration hazard: based on available data, the classification criteria are not met.

### 12. Ecological information

### Toxicity

| ity :   |
|---|
| iphenylmethanediisosyanate, isomers and homologues. |
| >1,000 mg/l (zebrafish)                             |
| >1,000 mg/l (daphnia)                               |
| >1,000 mg/l (fish)                                  |
| >1,640  mg/l (algae)                                |
|   |

- **Persistence and degradability:** No further relevant information available.
- Behaviour in environmental systems: No further relevant information available.
- Bioaccumulative potential: No further relevant information available.
- Mobility in soil: No further relevant information available.
- **Ecotoxical effects:** No further relevant information available.
- **Remarks:** Harmful for fish.
- Additional ecological information: No further relevant information available.
- General notes: Water hazard class 1 (German Regulation) (Self-assessment): Slightly hazardous for water. Do not allow undiluted product or large quantities to reach ground water, water source or sewage system.
- Results of PBT and vPvB assessments:
  - **PBT:** not applicable.
  - **vPvB:** not applicable.

Other adverse effects: No further relevant information available.



(EC) No 1907/2006/EC article 31 TEKINJECT PU 2C FLEX B-component

Version 1.00

06-11-2023

# 13. Disposal consideration

- Waste treatment methods
- · Recommendation:
- Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

# 14. Transport information

| · UN-number  |                |  |
|--|----------------|--|
| · ADR, IMDG, IATA  | Not regulated  |  |
| • UN proper shipping name  |                |  |
| · ADR  | Not regulated  |  |
| · IMGD, IATA   |                |  |
| <ul> <li>Transport hazard class(es)</li> <li>ADR, AND, IMDG, IATA</li> </ul> |                |  |
| · Class  | Not regulated  |  |
| · Packing group  |                |  |
| · ADR; IMDG, IATA  | Not regulated  |  |
| Environmental hazards :  | Not applicable |  |
| • Special precautions for user   | Not applicable |  |
| • UN « Model regulation » :  | Not regulated  |  |

# 15. Regulatory information

Safety, health and environmental regulations: legislation specific for the product.

Directive 2012/18/EU

Named dangerous substances – ANNEX 1: None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII: Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

Chemical safety assessment: A chemical Safety Assessment has not been carried out.

(EC) No 1907/2006/EC article 31 TEKINJECT PU 2C FLEX B-component

Version 1.00

06-11-2023

### 16. Additional information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### Relevant phrases referred to under sections 2 and 3:

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.
- H351 Suspected of causing cancer.
- H373 May cause damage to organs through prolonged or repeated exposure.

### Abbreviations and acronyms:

ADR: European agreement concerning the International Carriage of Dangerous Goods by road) IMDG: International Maritime Code for Dangerous Goods IATA : International Ait Transport Association GHS : Globally Harmonised System of Classification and labelling of chemicals. EINECS: European Inventory of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the Ameriacan Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persitent, Bioaccummulative and Toxic vPvB: very Persitent and very Bioacummulative Acute Tox. 4: Acute toxicity - oral - Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2 : Serious eye damage/eye irritation - Category 2 Resp. Sens. 1: Respiratory sensitisation - Category 1 Resp. Sens. 1B: Respiratory sensitization - Category 1B Skin Sens 1: Skin sensititisation – Category 1 Skin Sens. 1B : Skin sensititsation - Category 1B Carc. 2 : Carcinogenicity – Category 2 STOT SE 3 : Specific target organ toxicity (single exposure) - Category 3 STOT RE 2: Specific target organ (repeated exposure) – Category 2 Data compared to the previous version altered.