

(EC) No 1907/2006/EC article 31

TEKINJECT PU 2C HARD A-component Version 1.01 29-01-2024 Identification of the substance/mixture and of the company/undertaking **Product identifier TEKINJECT PU 2C HARD A-component** Product name: Mixture Type of product : Relevant identified uses of the substance or mixture and uses advised against Identified uses: Only for professional use. Details of the supplier of the safety data sheet Company: TEKINJECT BV Kruisblok 6 **BE - 2320 HOOGSTRATEN** E-mail address: info@tekinject.com **Emergency telephone number** 24-hours emergency number: +32 494 239 441 National poison information service: This is a generic EU Safety Data Sheet. Consult your Specific member state version for this information. **Hazard Identification** Classification according to Regulation (EC) No 1272/2008 GHS08 Resp. 1B H360 May damage fertility or the unborn child. Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms **GHS 08** · Signal word : Warning · Hazard-determination components of labeling Dibutyltin dilaurate

Hazard statements

- H360 May damage fertility or the unborn child.
- **Precautionary statements**
- P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P308+P313 If exposed or concerned: get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.



(EC) No 1907/2006/EC article 31

Version 1.01

TEKINJECT PU 2C HARD A-component

- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable
- vPvB: Not applicable

Composition/information on ingredients

Description: mixture of substances with nonhazardous additions.

Dangerous components :			
	Polypropyleenglycol	Acute tox. 4, H302	5 - 30 %
CAS : 77-58-7 EINECS : 201-039- 8	Dibutylin dilaurate	Muta. 2, H341; Repr. 1B, H360; STOT SE1, H370; STOT RE1, H372; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic chronic. 1, H410; Acute Tox. 4, H302; Skin Sens. 1B, H317	< 3,5 %

Additional information: For the wording of the listed hazard phrases refer to section 16.

First aid measures

- Description of first aid measures.
- General information: Symptoms of poisoning may even occur after several hours; therefor medical observation for at least 48 hours after the accident is required.
- After inhalation: Supply fresh air and to be sure call for a doctor. In case of unconsciousness place the patient in stable position for transportation.
- After Skin contact: Rinse and wash with water and soap.
- After eve contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist, consult a doctor.

5. Fire-fighting measures

- Extinguishing media.
- Suitable extinguishing agents: use fire extinguishing methods suitable to surrounding conditions.
- Special hazards arising from the substance or mixture: no relevant information available.
- Advise for firefighters: No relevant information available.
- Protective equipment: Mouth respiratory protective device.

(EC) No 1907/2006/EC article 31

TEKINJECT PU 2C HARD A-component

29-01-2024

6. Accidential releases measures

Version 1.01

- Personal precautions, protective equipment and emergency procedures: Not required.
- Environmental precautions: Do not allow to enter sewers/surface or ground water.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binder, universal binder, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- References to other sections
 See section 7 for information and safe handling.
 See section 8 for information on personal protection equipment.
 See section 13 for disposal information.

7. Handling and storage

- **Precautions for safe handling:** ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about fire- and explosion protection: No special measures required.
- Conditions for safe storage, including any incompatibilities.
- **Storage:** No special requirements
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- Specific end use(s): No further relevant information available.

8. Exposure control/personal protection

- Additional information about design of technical facilities: No further data; see section 7.
- Control parameters

Ingredients with limit values that require monitoring at the workplace		
77-58-7 dibutylin dilaurate		
WEL	Short-term value: 0,2 mg/m ³	
	Long-term value: 0.1 mg/m^3	
	Sen; as SK	

- Additional information: The lists valid during the making were used as basis.
- Exposure controls
- Personal protective equipment.
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages, and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before break and at the end of the work.
- Avoid contact with eyes and skin.

• Respiratory protection:

In case of brief exposure or low pollution, use respiratory filter device. In case of intensive or longer exposure, use self-contained respiratory protection device.

Protection of hands:

The glove material must be impermeable and resistant to the product/the substances/the preparation. Due to missing tests no recommendation to the glove material can be given.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefor to be checked prior to the application.



(EC) No 1907/2006/EC article 31

Version 1.01

TEKINJECT PU 2C HARD A-component

29-01-2024

Penetration time of glove material:

- The exact break through time must be found out by the manufacturer of the protective gloves and must be observed.
- Eye protection:
 - Tightly sealed goggles.

9. Physical and technical properties

Information on basic physical and chemical pro	perties		
General information	General information		
· Appearance:			
Form	Liquid.		
Colour	Yellowish		
Odour	Characteristic.		
pH-value:	Not determined.		
· Change in condition			
Melting point/freezing point:	Not determined.		
Initial boiling point and boiling range:	288 °C		
Flash point :	165 °C		
Flammability (solid,gas):	Not applicable.		
 Decomposition temperature: 	Not determined.		
Auto-ignition temperature:	355 °C		
• Explosive properties:	Product does not present an explosion hazard.		
• Explosion limits :			
Lower:	0,9 Vol%.		
Upper:	9,2 Vol%.		
• Vapour pressure at 20 °C:	1 hPa		
• Density at 20 °C:	$1,016 \text{ g/cm}^3$.		
• Relative density:	Not determinded.		
Vapour density :	Not determined.		
• Evaporation rate:	Not determined.		
Solubility in/miscibility with water:	Not miscible or difficult to mix.		
Partition coefficient: n-octanol/water:	Not determined.		
· Viscosity:			
Dynamic at 20 °C:	300 mPa.s		
Kinematic:	Not determined.		
· Solvent content:			
Organic solvent:	0,0 %		
VOC (EC):	0,00 %		
Other information:	No further relevant information.		

10. Stability and reactivity

- Reactivity: No further relevant information available
- **Chemical stability:**
- Thermal decomposition/conditions to be avoided: No decomposition if used according to specification.
- Possibility of hazardous reactions: No dangerous reactions known. .
- Conditions to avoid: No further relevant information available. .
- Incompatible materials: No further relevant information available.

(EC) No 1907/2006/EC article 31

TEKINJECT PU 2C HARD A-component

29-01-2024

11. Toxicological information

Version 1.01

- Information on toxicological effects
- Acute toxicity : Based on available data, the classification criteria are not met.
- Primary irritant effect:
- Skin corrosion/irritation:
- Based on available data, the classification criteria are not met.
- Serious eye damage/irritation:
- Based on available data, the classification criteria are not met.
- Respiratory or skin sensitization:
- Based on available data, the classification criteria are not met.
- CMR effect (carcinogenity, mutagenicity and toxicity for reproductions):
- Germ cell mutagenicity: based on available data, the classification criteria are not met.
- **Carcinogenicity:** based on the available data the classification criteria are not met.
- **Reproductivity toxicity:** based on available data, the classification criteria are not met.
- STOT-single exposure: based on available data, the classification criteria are not met.
- STOT-repeated exposure: based on available data the classification criteria are not met.
- Aspiration hazard: based on available data, the classification criteria are not met.

12. Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- **Persistence and degradability:** No further relevant information available.
- Behaviour in environmental systems: No further relevant information available.
- Bioaccumulative potential: No further relevant information available.
- Mobility in soil: No further relevant information available.
- Ecotoxical effects: No further relevant information available.
- **Remarks:** Harmful for fish.
- Additional ecological information: No further relevant information available.
- General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities to reach ground water, water source or sewage system.
 - **Results of PBT and vPvB assessments:**
 - **PBT:** not applicable.
 - vPvB: not applicable.

Other adverse effects: No further relevant information available.

13. Disposal consideration

- · Waste treatment methods
- · Recommendation:
- Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleaning agents: water, if necessary together with cleansing agent.

(EC) No 1907/2006/EC article 31 TEKINJECT PU 2C HARD A-component

Version 1.01

14. Transport information

· UN-Number · ADR, IMDG, IATA	not regulated	
• UN proper shipping name • ADR, IMDG, IATA	not regulated	
· Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	not regulated	
· Packing group · ADR, IMDG, IATA	not regulated	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
• Transport in bulk according to Annex II and the IBC Code	of Marpol Not applicable.	
· UN "Model Regulation":	not regulated	

15. <u>Regulatory information</u>

Safety, health and environmental regulations/legislation specific for the product

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

Chemical safety assessment: A chemical Safety Assessment has not been carried out.

(EC) No 1907/2006/EC article 31

TEKINJECT PU 2C HARD A-component

29-01-2024

16. Additional information

Version 1.01

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases referred to under sections 2 and 3:

H302 Harmful if swallowed. H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H341 Suspected of causing genetic defects.

H360 May damage fertility or the unborn child.

H370 Causes damage to organs.

H372 May cause damage to organs.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

ADR: European agreement concerning the International Carriage of Dangerous Goods by road)

IMDG: International Maritime Code for Dangerous Goods

IATA : International Ait Transport Association

GHS : Globally Harmonised System of Classification and labelling of chemicals.

EINECS: European Inventory of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the Ameriacan Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persitent, Bioaccummulative and Toxic

vPvB: very Persitent and very Bioacummulative

Acute Tox.4: Acute toxicity – inhalation – Category 4

Muta. 2: Mutagenetic - Category 2

Skin Sens. 1B: Skin sensitization - Category 1B

Eye Dam. 1: damage to the eyes – Category 1

Aquatic Acute 1: Acute toxic to aquatic life - Category 1

Aquatic Chronic 1: Harmful to aquatic life with long lasting effect) - Category 1

STOR SE1: Specific target organ toxicity (single exposure) - Category 1

STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1

	TEKINJECT	Safety Data Sheet	
Vers	ion 1.01	(EC) No 1907/2006/EC article 31 TEKINJECT PU 2C HARD B-component	30-01-2024
<u>1.</u>	Identification of the substa	nce/mixture and of the company/undertaking	
	Product identifier Product name: Type of product :	TEKINJECT PU 2C HARD B-component Mixture	
	Relevant identified uses of Identified uses: Only for pro	the substance or mixture and uses advised against of the substance of th	
	Details of the supplier of t	he safety data sheet	
	Company:	TEKINJECT BV Kruisblok 6	
	E-mail address:	BE - 2320 HOOGSTRATEN info@tekinject.com	
	Emergency telephone nun	ıber	
	24-hours emergency number	r: +32 494 239 441	
	National poison information	a service: This is a generic EU Safety Data Sheet. Consult yo Specific member state version for this inf	
<u>2.</u>	<u>Hazard Identification</u>		
	Classification according	ng to Regulation (EC) No 1272/2008	



GHS08 health hazard

Resp. Sens. 1	H334 May cause allergy or athma symptoms or breathing difficulties if
	inhaled.
Carc. 2	H351 Suspected of causing cancer.
STOT RE2	H373 May cause damage to organs through prolonged or repeated exposure.



.

Acute tox. 4	H332 Harmful if inhaled.
Skin irrit. 2	H315 Causes skin irritation.
Eye Irrit. 2	H319 Causes serious eye irritation.
Skin Sens. 1	H317 May cause an allergic skin reaction.
STOT SE 3	H335 May cause respiratory irritation.



(EC) No 1907/2006/EC article 31 TEKINJECT PU 2C HARD B-component

Version 1.01

30-01-2024

Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



· Signal word: Danger

· Hazard-determination components of labeling:

Diphenylmethanediisocyanate, isomers and homologues.

Isocyanic acid, polymethylenepolyphenylene ester, polymer with . alpha. – hydro. – omega –

- hydroxypolyoxy(methyl-1,2-ethanediyl)
- 4,4'-methylenediphenyl diisocyanate

Reaction mass of 4,4'-methylenediphenyl diisocyanate and o-(p-isocyanatobenzyl)fenylisocyanate **Hazard statements:**

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H334 May cause an allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.
- H351 Suspected of causing cancer.
- H373 May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements:

P260 Do breathe dust/mist/fume/gas/vapours/spray.

P261 Avoid breathing dust/fumes/gas/mist/vapors/spray.

P284 In case of inadequate ventilation, wear respiratory protection.

P305+P351+P338 IF IN EYES: rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P403+P233 Store in well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

• Additional information: Contains isocyanates. May produce an allergic reaction.

- · Other hazards
- · Results of PBT and vPvB assessment:
- **PBT:** Not applicable
- **vPvB:** Not applicable

Safety Data Sheet (EC) No 1907/2006/EC article 31 **TEKINJECT PU 2C HARD B-component** Composition/information on ingredients Description: mixture of substances with nonhazardous additions. **Dangerous components :** CAS 9016-87-9 Diphenylmethanediisocyanate, isomers and homologues 40 - 75%

Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373 Acute tox. 4, H332 ; Skin Irritant 2, H315 ; eye Irrit. 2, H319; skin sense. 1, H317 ; STOT SE3 H335

Additional information: For the wording of the listed hazard phrases refer to section 16.

First aid measures

- Description of first aid measures.
- General information: Symptoms of poisoning may even occur after several hours; therefor medical observation for at least 48 hours after the accident.
- After inhalation: Supply fresh air and to be sure call for a doctor. In case of unconsciousness place the patient in stable position for transportation.
- After skin contact: Rinse and wash with water and soap.
- After eye contact: Rinse opened eye for several minutes under running water, then consult a doctor.
- After swallowing: If symptoms persist, consult a doctor.

5. Fire-fighting measures

- Extinguishing media.
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- Special hazards arising from the substance or mixture: no relevant information available.
- Advise for firefighters: No relevant information available.
- Protective equipment: Mouth respiratory protective device.

6. Accidential releases measures

- Personal precautions, protective equipment and emergency procedures: Not required.
- Environmental precautions: Do not allow to enter sewers/surface or ground water.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binder, universal binder, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- **References to other sections** See section 7 for information and safe handling. See section 8 for information on personal protection equipment. See section 13 for disposal information.

Version 1.01

TEKINJECT

30-01-2024



(EC) No 1907/2006/EC article 31 **TEKINJECT PU 2C HARD B-component**

Version 1.01

30-01-2024

7. Handling and storage

- **Precautions for safe handling:** ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- **Information about fire- and explosion protection:** No special measures required.
- Conditions for safe storage, including any incompatibilities.
- **Storage:** No special requirements
- Requirements to be met by storerooms and receptacles: No special requirements.
- **Information about storage in one common storage facility:** Not required.
- Further information about storage conditions: Keep container tightly sealed.
- Specific end use(s): No further relevant information available.

8. Exposure control/personal protection

- Additional information about design of technical facilities: No further data; see section 7.
- Control parameters

Ingredients with limit values that require monitoring at the workplace:		
9016-87-9 diphenylmethanediisocyanate, isomers and homologues		
WEL		

- Additional information: The lists valid during the making were used as basis.
- **Exposure controls**
- Personal protective equipment.
- General protective and hygienic measures:
 - Keep away from foodstuffs, beverages, and feed. Immediately remove all soiled and contaminated clothing. Wash hands before break and at the end of the work. Avoid contact with eyes and skin.
- **Respiratory protection:**

In case of brief exposure or low pollution, use respiratory filter device. In case of intensive or longer exposure, use self-contained respiratory protection device.

Protection of hands:



The glove material must be impermeable and resistant to the product/the substances/the preparation. Due to missing tests no recommendation to the glove material can be given.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.


Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefor to be checked prior to the application.

Penetration time of glove material:

The exact break through time must be found out by the manufacturer of the protective gloves and must be observed.

Eye protection:





Version 1.01

(EC) No 1907/2006/EC article 31 **TEKINJECT PU 2C HARD B-component**

30-01-2024

Physical and technical properties 9.

	Information on basic physical and chemical pro	perties	
	General information		
	Appearance:		
	Form	Liquid	
	Colour	brown	
	Odour	Characteristic.	
	pH-value:	Not determined.	
•	Change in condition		
	Melting point/freezing point:	Not determined.	
	Initial boiling point and boiling range:	245 °C	
	Ignition temperature	400 °C	
	Flash point:	230 °C	
•	Flammability (solid,gas):	Not applicable.	
	Decomposition temperature:	Not determined.	
•	Auto-ignition temperature:	Product is not selfigniting.	
	Explosive properties:	Product does not present an explosion hazard.	
	Explosion limits :		
	Lower:	0,4 Vol %	
	Upper:	0,0 Vol %	
•	Vapour pressure at 20 °C:	Not determined.	
	Density at 20 °C:	$1,1 \text{ g/cm}^3$	
	Relative density:	Not determinded.	
	Vapour density :	Not determined.	
•	Evaporation rate:	Not determined.	
	Solubility in/miscibility with water:	Not miscible or difficult to mix.	
•	Partition coefficient: n-octanol/water:	Not determined.	
	Viscosity:		
	Dynamic at 20 °C:	40 mPa.s	
	Kinematic:	Not determined.	
	Solvent content:		
	Organic solvent:	0,0 %	
	VOC (EC):	0,00 %	
	Other information:	No further relevant information.	

10. Stability and reactivity

- Reactivity: No further relevant information available.
- Chemical stability:
- Thermal decomposition/conditions to be avoided: No decomposition if used according to specification.
- Possibility of hazardous reactions: No dangerous reactions known.
- Conditions to avoid: No further relevant information available. .
- Incompatible materials: No further relevant information available. .
- Hazardous decomposition products: No dangerous decomposition products known.



Safety Data Sheet

(EC) No 1907/2006/EC article 31 TEKINJECT PU 2C HARD B-component

30-01-2024

Version 1.01

<u>11.</u> Toxicological information

- Information on toxicological effects
- Acute toxicity : Harmfull if swallowed

LD/LC50 values relevant for classication:		
9016-87-9 diphenylmethanediisocyanate, isomers and homologues		
Oral	LD50	1,311 mg/kg (rat)
Dermal	LD50	>9,400 mg/kg (Rabbit)

- Primary irritant effect:
- Skin corrosion/irritation :
- Causes skin irritation.
- Serious eye damage/irritation: Causes serious eye irritation.
- Respiratory or skin sensitization:
- May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.
- CMR effect (carcinogenity, mutagenicity and toxicity for reproductions):
- Germ cell mutagenicity: based on available data, the classification criteria are not met.
- Carcinogenicity: suspected of causing cancer.
- **Reproductivity toxicity:** based on available data, the classification criteria are not met.
- STOT-single exposure: May cause respiratory irritation.
- STOT-repeated exposure: May cause damage to organs through prolonged or repeated exposure.
- Aspiration hazard: based on available data, the classification criteria are not met.

12. Ecological information

· Toxicity

Aquatic toxicity		
9016-87-9 Diphenylmethanediisocyanate, isomers and homologues		
LC50/96 h	>1,000 mg/l (zebrafish)	
EC50/24 h	>1,000 mg/l (daphnia)	
EC50/96 h	>1,000 mg/l (fish)	
EC50/72 h	>1,640 mg/l (algea)	

Persistence and degradability: No further relevant information available.

- Behaviour in environmental systems: No further relevant information available.
- **Bioaccumulative potential:** No further relevant information available.
- Mobility in soil: No further relevant information available.
- Ecotoxical effects: No further relevant information available.
- Additional ecological information: No further relevant information available.
- General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water source or sewage system.

Results of PBT and vPvB assessments:

- **PBT:** not applicable.
- **vPvB:** not applicable.

Other adverse effects: No further relevant information available.



(EC) No 1907/2006/EC article 31 TEKINJECT PU 2C HARD B-component

Version 1.01

13. Disposal consideration

- Waste treatment methods
- Recommendation :
- Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleaning agents: water, if necessary together with cleansing agent.

14. Transport information

•	UN-number	
	ADR, IMDG, IATA	Not regulated
•	UN proper shipping name	
•	ADR, IMGD, IATA	Not regulated
	Transport hazard class(es)	
	ADR, AND, IMDG, IATA	Not regulated
	Class	1.0010844404
•	Packing group	
•	ADR; IMDG, IATA	Not regulated
•	Environmental hazards :	Not regulated
•	Special precautions for user	Not applicable
	Transport additional information :	Not applicable
•	UN « Model regulation » :	Not regulated

15. Regulatory information

Safety, health and environmental regulations: legislation specific for the product. Directive 2012/18/EU

Named dangerous substances – ANNEX 1: None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII: Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

Chemical safety assessment: A chemical Safety Assessment has not been carried out.

Safety Data Sheet

(EC) No 1907/2006/EC article 31 **TEKINJECT PU 2C HARD B-component**

Version 1.01

30-01-2024

16. Additional information

TEKINJECT

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Relevant phrases referred to under sections 2 and 3: H302 Harmful if swallowed. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H332 Harmful if inhaled. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335 May cause respiratory irritation. H351 Suspected of causing cancer. H373 May cause damage to organs through prolonged or repeated exposure. Abbreviations and acronyms: ADR: European agreement concerning the International Carriage of Dangerous Goods by road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and labelling of chemicals. EINECS: European Inventory of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC : Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persitent, Bioaccummulative and Toxic vPvB: very Persitent and very Bioacummulative Acute Tox. 4: Acute toxicity - inhalation - Category 4. Skin Irrit. 2: Skin corrosion/irritation – Category 2. Eye Irrit. 2 : Serious eye damage/eye irritation – Category 2. Resp. Sens. 1: Respiratory sensititasion – Category 1. Resp. Sens. 1B : Respiratory sensititasion - Category 1B. Skin Sens. 1: Skin sensititatsion - Category 1. Skijn Sens. 1B : Skin sensititasion - Category 1B. Carc. 2 : Carcinogenicity - Category 2.

STOT SE3 : Specific target organ toxicity (sngle exposure) – Category 3.

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2.