

(EC) No 1907/2006/EC article 31

Version 1.01 TEKINJECT PU 2C SOIL 35 A-component 07-02-2024

1. Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name: TEKINJECT PU 2C SOIL 35 A-component

Type of product: Mixture

Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Only for professional use.

Details of the supplier of the safety data sheet

Company: TEKINJECT BV

Kruisblok 6

BE - 2320 HOOGSTRATEN

E-mail address: info@tekinject.com

· Emergency telephone number

24-hours emergency number: +32 494 239 441

National poison information service: This is a generic EU Safety Data Sheet. Consult your

specific member state version for this information.

2. Hazard Identification

Classification according to Regulation (EC) No 1272/2008



GHS07

Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictogrammes



GHS 07

· Signal word : Warning

· Hazard-determination components of labeling

Poly(oxy(methyl-1,2-ethanediyl)), a-hydro-w-hydroxy-, ether with bis(((2-

hydroxyethyl)amino)methyl) phenol (3:1) Ethylenediamine, ethoxylated and proxylated



(EC) No 1907/2006/EC article 31

Version 1.01 TEKINJECT PU 2C SOIL 35 A-component

07-02-2024

· Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 may cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P261Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable · **vPvB:** Not applicable



Version 1.01

(EC) No 1907/2006/EC article 31

TEKINJECT PU 2C SOIL 35 A-component

07-02-2024

Composition/information on ingredients

Description: mixture of substances with nonhazardous additions.

Dangerous compor	nents:		
CAS: 68909-26-2	Poly(oxy(methyl-1,2-ethanediyl)),a-hydro-w-hydroxy-, ether with bis(((2-hydroxythyl)amino)methyl)phenol(3:1)	Aquatic Chronic. 2, H411; Skin Irrit 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	10 - 25 %
CAS: 13674-84-5	Tris(2-chlorisopropyl)-phosphate	Aquatic Chronic. 3, H412	3,5 – 10 %
	Ethylenediamine, ethoxylated and propoxylated	Eye Irrit. 2, H319; Skin Sens. 1, H317	3,5 - 10 %
CAS: 108-01-0 EINECS: 203- 542-8	2-dimethylaminoethanol	Flam. Liq. 3, H226; Acute Tox. 3, H331; Skin Corr. 1, H314; Acute Tox. 4, H312; STOR SE3, H335	< 3,5 %
CAS: 3030-47-5 EINECS: 221- 201-1	Bis(2-dimethylaminoethyl)(methyl)amine	Acute Tox. 3., H311; Acute Tox 3. H331; Skin Corr.1B, H314; Acute Tox. 4, H302	< 2,5 %
CAS: 3033-62-3 EINECS: 221- 220-5	N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine)	Acute Tox. 3, H331; Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4, H302	< 2,5 %
CAS: 9049-71-2	Sucrose propoxylated	Acute Tox. 5, H303	< 2,5 %
	2,2,4- trimethyl-1,3-pentanediol diisobutyrate		20 – 60 %

Additional information: For the wording of the listed hazard phrases refer to section 16.



(EC) No 1907/2006/EC article 31

Version 1.01 TEKINJECT PU 2C SOIL 35 A-component

07-02-2024

4. First aid measures

- Description of first aid measures.
- General information: Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- **After inhalation:** Supply fresh air and to be sure call for a doctor. In case of unconsciousness place the patient in stable position for transportation.
- After skin contact: Rinse and wash with water and soap.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult a doctor.

5. Fire-fighting measures

- Extinguishing media.
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- Special hazards arising from the substance or mixture: no relevant information available.
- Advise for firefighters: No relevant information available.
- **Protective equipment:** Mouth respiratory protective device.

6. Accidential releases measures

- Personal precautions, protective equipment and emergency procedures: Not required.
- Environmental precautions: Do not allow to enter sewers/surface or ground water.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binder, universal binder, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- References to other sections
 - See section 7 for information and safe handling.
 - See section 8 for information on personal protection equipment.
 - See section 13 for disposal information.

7. Handling and storage

- **Precautions for safe handling:** ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- · Information about fire- and explosion protection: No special measures required.
- Conditions for safe storage, including any incompatibilities.
- Storage: No special requirements
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- Specific end use(s): No further relevant information available.



(EC) No 1907/2006/EC article 31

Version 1.01

TEKINJECT PU 2C SOIL 35 A-component

07-02-2024

8. Exposure control/personal protection

- Additional information about design of technical facilities: No further data; see section 7.
- · Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- Personal protective equipment.
- General protective and hygienic measures:

Keep away from foodstuffs, beverages, and feed.

Wash hands before break and at the end of the work.

Respiratory protection:

In case of brief exposure or low pollution, use respiratory filter device. In case of intensive or longer exposure, use self-contained respiratory protection device.

Protection of hands:

The glove material must be impermeable and resistant to the product/the substances/the preparation. Due to missing tests no recommendation to the glove material can be given.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

• Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefor to be checked prior to the application.

Penetration time of glove material:

The exact break through time must be found out by the manufacturer of the protective gloves and must be observed.

· Eye protection:

Tightly sealed goggles.



(EC) No 1907/2006/EC article 31

Version 1.01 TEKINJECT PU 2C SOIL 35 A-component 07-02-2024

Physical and technical properties

	Information on basic physical and chemical properties		
	General information		
	Appearance:		
	Form	Liquid.	
	Colour	Light yellow	
	Odour	Characteristic.	
	pH-value:	Not determined.	
	Change in condition		
	Melting point/freezing point:	Not determined.	
	Initial boiling point and boiling range:	280 °C	
	Flash point :	> 148 °C	
	Flammability (solid,gas):	Not applicable.	
	Decomposition temperature:	305 °C	
	Auto-ignition temperature:	Product is not selfigniting.	
	Explosive properties:	Product does not present an explosion hazard.	
	Explosion limits:		
	Lower:	Not determined	
	Upper:	Not determined	
٠	Vapour pressure at 20 °C:	0,6 hPa	
	Density at 20 °C:	$1,03 \text{ g/cm}^3$	
	Relative density:	Not determinded.	
	Vapour density:	Not determined.	
	Evaporation rate:	Not determined.	
	Solubility in/miscibility with water:	Not miscible or difficult to mix.	
	Partition coefficient: n-octanol/water:	Not determined.	
	Viscosity:		
	Dynamic at 20 °C:	210 mPa.s	
	Kinematic:	Not determined.	
	Solvent content:		
	Organic solvent:	0.00 %	
		,	
	VOC (EC): Other information:	0,00 %	

10. Stability and reactivity

- Reactivity: No further relevant information available
- **Chemical stability:**
- Thermal decomposition/conditions to be avoided: No decomposition if used according to specification.
- Possibility of hazardous reactions: No dangerous reactions known.
- Conditions to avoid: No further relevant information available.
- **Incompatible materials:** No further relevant information available.



Version 1.01

Safety Data Sheet

(EC) No 1907/2006/EC article 31

TEKINJECT PU 2C SOIL 35 A-component

07-02-2024

11. Toxicological information

- Information on toxicological effects
- Acute toxicity: Harmfull if swallowed

LD/LC50 values relevant for classication:			
68909-26-2 Poly(oxy(methyl-1,2-ethanediyl)),a-hydro-w-hydroxy-, ether with bis(((2-			
hydroxyethyl)amino)methyl)phenol (3:1)			
Oral LD50 > 2,200 mg/kg (Rat)			
Dermal	LD50	>2,000 mg/kg (Ratbbit)	

- Primary irritant effect:
- Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

- Serious eye damage/irritation:
- Based on available data, the classification criteria are not met
- Respiratory or skin sensitization:
- Based on available data, the classification criteria are not met
- CMR effect (carcinogenity, mutagenicity and toxicity for reproductions):
- Germ cell mutagenicity: based on available data, the classification criteria are not met.
- Carcinogenicity: based on the available data the classification criteria are not met.
- **Reproductivity toxicity:** based on available data, the classification criteria are not met.
- STOT-single exposure: based on available data, the classification criteria are not met.
- STOT-repeated exposure: based on available data the classification criteria are not met.
- Aspiration hazard: based on available data, the classification criteria are not met.

12. Ecological information

Toxicity

Aquatic toxicit	Aquatic toxicity:	
68909-26-2 Pol	68909-26-2 Poly(oxy(methyl-1,2-ethanediyl)),a-hydro-w-hydroxy-, ether with bis(((2-	
hydroxyethyl)ai	hydroxyethyl)amino)methyl)phenol (3:1)	
LC50/96 h	8,8 mg/l (Zebrafish)	
EC50/48 h	6,5 mg/l (daphnia)	
EC50/72 h	5,6 mg/l (algea)	

- Persistence and degradability: No further relevant information available.
- Behaviour in environmental systems: No further relevant information available.
- Bioaccumulative potential: No further relevant information available.
- Mobility in soil: No further relevant information available.
- **Ecotoxical effects:** No further relevant information available.
- · Remarks: Harmful for fish.
- Additional ecological information: No further relevant information available.
- General notes: Water hazard class 1 (German Regulation) (Self-assessment): Slightly hazardous for water. Do not allow product to reach ground water, water source or sewage system.
 Harmfull to aquatic organisms.
- Results of PBT and vPvB assessments:

PBT: not applicable. **vPvB:** not applicable.

Other adverse effects: No further relevant information available.



(EC) No 1907/2006/EC article 31

TEKINJECT PU 2C SOIL 35 A-component

07-02-2024

13. Disposal consideration

Version 1.01

- · Waste treatment methods
- · Recommendation:
 - Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

14. Transport information

	UN-number	
•	ADR, IMDG, IATA	Not regulated
	UN proper shipping name	
	ADR	Not regulated
	IMGD, IATA	g
	Transport hazard class(es)	
	ADR, AND, IMDG, IATA	
	Class	Not regulated
	Packing group	
	ADR; IMDG, IATA	Not regulated
•	Environmental hazards:	Not applicable
	Special precautions for user	Not applicable
	UN « Model regulation » :	Not regulated

15. Regulatory information

Safety, health and environmental regulations: legislation specific for the product.

Directive 2012/18/EU

Named dangerous substances – ANNEX 1: None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII: Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

Chemical safety assessment: A chemical Safety Assessment has not been carried out.



(EC) No 1907/2006/EC article 31

Version 1.01 TEKINJECT PU 2C SOIL 35 A-component

07-02-2024

16. Additional information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases referred to under sections 2 and 3:

H226 Flammable liquid and vapor.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H335 May cause respiratory irritation.

H411 Toxic to aquatic life with ling lasting effects.

H412 Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms:

ADR: European agreement concerning the International Carriage of Dangerous Goods by road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Ait Transport Association

GHS: Globally Harmonised System of Classification and labelling of chemicals.

EINECS: European Inventory of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the Ameriacan Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persitent, Bioaccummulative and Toxic

vPvB: very Persitent and very Bioacummulative

Flam Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity – oral – Category 4

Aquatic Chronic 2: Harmful to aquatic life – Category 2

Skin Irrit 2: skin irritation – Category 2

Eye Irrit. 2: eye irritation – Category 2

Skin Sens 1: Skin sensitation – Category 1

Aquatic Chronic. 3: Harmful to aquatic life with long lasting effects – Category 3

Acute Tox. 3: Acute toxicity – Category 3

Skin Corr 1: Corrosive to skin – Category 1

STOT SE3: Specific target organ toxicity – single exposure – Category 3

Skin Corr. 1B: Skin corrosive - Category 1B

Eye Dam. 1: causes serious eye damage – Category 1

Acute Tox. 5: Acute toxicity – Category 5



(EC) No 1907/2006/EC article 31 **TEKINJECT PU 2C SOIL 35 B-component**

1. Identification of the substance/mixture and of the company/undertaking

Product identifier

Version 1.01

Product name: TEKINJECT PU 2C SOIL 35 B-component

Type of product: Mixture

Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Only for professional use.

Details of the supplier of the safety data sheet

Company: TEKINJECT BV

Kruisblok 6

BE - 2320 HOOGSTRATEN

E-mail address: <u>info@tekinject.com</u>

Emergency telephone number

24-hours emergency number: +32 494 239 441

National poison information service: This is a generic EU Safety Data Sheet. Consult your

Specific member state version for this information.

07-02-2024

2. Hazard Identification

Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

Resp. Sens. 1 H334 May cause allergy or athma symptoms or breathing difficulties if

inhaled.

Carc. 2 H351 Suspected of causing cancer.

STOT RE2 H373 May cause damage to organs through prolonged or repeated exposure.



GHS07

Acute tox. 4 H332 Harmful if inhaled.
Skin irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2 H319 Causes serious eye irritation.
Skin Sens. 1 H317 May cause an allergic skin reaction.
STOT SE 3 H335 May cause respiratory irritation.



(EC) No 1907/2006/EC article 31

Version 1.01 TEKINJECT PU 2C SOIL 35 B-component

07-02-2024

Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS 08



GHS 07

- · Signal word: Danger
- · Hazard-determination components of labeling:

Diphenylmethanediisocyanate, isomers and homologues.

Isocyanic acid, polymethylenepolyphenylene ester, polymer with . alpha. – hydro. – omega –

hydroxypolyoxy(methyl-1,2-ethanediyl)

4,4'-methylenediphenyl diisocyanate

Reaction mass of 4,4'-methylenediphenyl diisocyanate and o-(p-isocyanatobenzyl)fenylisocyanate

Hazard statements:

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H334 May cause an allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements:

P260 Do breathe dust/mist/fume/gas/vapours/spray.

P261 Avoid breathing dust/fumes/gas/mist/vapors/spray.

P284 In case of inadequate ventilation, wear respiratory protection.

P305+P351+P338 IF IN EYES: rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P403+P233 Store in well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Additional information: Contains isocyanates. May produce an allergic reaction.
- Other hazards
- · Results of PBT and vPvB assessment:
- **PBT:** Not applicable
- · vPvB: Not applicable



(EC) No 1907/2006/EC article 31

Version 1.01 TEKINJECT PU 2C SOIL 35 B-component

07-02-2024

3. Composition/information on ingredients

Description: mixture of substances with nonhazardous additions.

Dangerous components :			
CAS 9016-87-9	Diphenylmethanediisocyanate, isomers and homologues	Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373 Acute tox. 4, H332; Skin Irritant 2, H315; eye Irrit. 2, H319; skin sense. 1, H317; STOT SE3 H335	60 - 100 %

Additional information: For the wording of the listed hazard phrases refer to section 16.

4. First aid measures

- Description of first aid measures.
- General information: Symptoms of poisoning may even occur after several hours; therefor medical observation for at least 48 hours after the accident.
- **After inhalation:** Supply fresh air and to be sure call for a doctor. In case of unconsciousness place the patient in stable position for transportation.
- After skin contact: Rinse and wash with water and soap.
- After eye contact: Rinse opened eye for several minutes under running water, then consult a doctor.
- After swallowing: If symptoms persist, consult a doctor.

5. Fire-fighting measures

- Extinguishing media.
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- Special hazards arising from the substance or mixture: no relevant information available.
- Advise for firefighters: No relevant information available.
- Protective equipment: Mouth respiratory protective device.

6. Accidential releases measures

- Personal precautions, protective equipment and emergency procedures: Not required.
- Environmental precautions: Do not allow to enter sewers/surface or ground water.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binder, universal binder, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- References to other sections
 - See section 7 for information and safe handling.
 - See section 8 for information on personal protection equipment.
 - See section 13 for disposal information.



(EC) No 1907/2006/EC article 31

Version 1.01

TEKINJECT PU 2C SOIL 35 B-component

07-02-2024

7. Handling and storage

- **Precautions for safe handling:** ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about fire- and explosion protection: No special measures required.
- Conditions for safe storage, including any incompatibilities.
- **Storage:** No special requirements
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- **Specific end use(s):** No further relevant information available.

Exposure control/personal protection

- Additional information about design of technical facilities: No further data; see section 7.
- **Control parameters**

Ingredients with limit values that require monitoring at the workplace:		
9016-87-9 diphenylmethanediisocyanate, isomers and homologues		
WEL	Short-term value: 0,07 mg/m ³	
	Long-term value: 0,02 mg/m ³	
	Sen; as -NCO	

- **Additional information:** The lists valid during the making were used as basis.
- **Exposure controls**
- Personal protective equipment.
 - General protective and hygienic measures:

Keep away from foodstuffs, beverages, and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before break and at the end of the work.

Avoid contact with eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution, use respiratory filter device. In case of intensive or longer exposure, use self-contained respiratory protection device.

Protection of hands:



Protective gloves

The glove material must be impermeable and resistant to the product/the substances/the preparation. Due to missing tests no recommendation to the glove material can be given.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefor to be checked prior to the application.

Penetration time of glove material:

The exact break through time must be found out by the manufacturer of the protective gloves and must be observed.

Eye protection:



Tightly sealed goggles.



Version 1.01

(EC) No 1907/2006/EC article 31 TEKINJECT PU 2C SOIL 35 B-component

07-02-2024

Physical and technical properties

	Information on basic physical and chemical pro	nerties
	General information	perties
	Appearance:	
	Form	Liquid
	Colour	brown
	Odour	Characteristic.
	pH-value:	Not determined.
	Change in condition	
	Melting point/freezing point:	Not determined.
	Initial boiling point and boiling range:	> 300 °C
•	Ignition temperature	Not applicable
•	Flash point:	> 200 °C
•	Flammability (solid,gas):	Not applicable.
•	Decomposition temperature:	Not determined.
•	Auto-ignition temperature:	> 600 °C
•	Explosive properties:	Product does not present an explosion hazard.
•	Explosion limits:	
	Lower:	0,4 Vol %
	Upper:	0,0 Vol %
•	Vapour pressure at 20 °C:	Not determined.
•	Density at 20 °C:	$1,23 \text{ g/cm}^3$
	Relative density:	Not determinded.
	Vapour density :	Not determined.
•	Evaporation rate:	Not determined.
•	Solubility in/miscibility with water:	Not miscible or difficult to mix.
•	Partition coefficient: n-octanol/water:	Not determined.
•	Viscosity:	
	Dynamic at 20 °C:	235 mPa.s
	Kinematic:	Not determined.
•	Solvent content:	
	Organic solvent:	0,0 %
	VOC (EC):	0,00 %
	Other information:	No further relevant information.

10. Stability and reactivity

- Reactivity: No further relevant information available.
- **Chemical stability:**
- Thermal decomposition/conditions to be avoided: No decomposition if used according to
- Possibility of hazardous reactions: No dangerous reactions known.
- Conditions to avoid: No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.



(EC) No 1907/2006/EC article 31 **TEKINJECT PU 2C SOIL 35 B-component**

07-02-2024

Version 1.01

11. Toxicological information

Information on toxicological effects

Acute toxicity: Harmfull if swallowed

LD/LC50 values relevant for classication:		
9016-87-9 diphenylmethanediisocyanate, isomers and homologues		
Oral LD50 $> 10,000 \text{ mg/kg (rat)}$		
Dermal	LD50	>9,400 mg/kg (Rabbit)

- Primary irritant effect:
- Skin corrosion/irritation:

Causes skin irritation.

Serious eye damage/irritation:

Causes serious eye irritation.

Respiratory or skin sensitization:

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

- CMR effect (carcinogenity, mutagenicity and toxicity for reproductions):
- Germ cell mutagenicity: based on available data, the classification criteria are not met.
- Carcinogenicity: suspected of causing cancer.
- **Reproductivity toxicity:** based on available data, the classification criteria are not met.
- STOT-single exposure: May cause respiratory irritation.
- STOT-repeated exposure: May cause damage to organs through prolonged or repeated exposure.
- Aspiration hazard: based on available data, the classification criteria are not met.

12. Ecological information

· Toxicity

Aquatic toxicity		
9016-87-9 Dipheny	9016-87-9 Diphenylmethanediisocyanate, isomers and homologues	
LC50/96 h	>1,000 mg/l (zebrafish)	
EC50/24 h	>1,000 mg/l (daphnia)	
EC50/96 h	>1,000 mg/l (fish)	
EC50/72 h	>1,640 mg/l (algea)	

Persistence and degradability: No further relevant information available.

- Behaviour in environmental systems: No further relevant information available.
- Bioaccumulative potential: No further relevant information available.
- Mobility in soil: No further relevant information available.
- **Ecotoxical effects:** No further relevant information available.
- Additional ecological information: No further relevant information available.
- General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water source or sewage system.

Results of PBT and vPvB assessments:

PBT: not applicable. **vPvB:** not applicable.

Other adverse effects: No further relevant information available.



(EC) No 1907/2006/EC article 31 **TEKINJECT PU 2C SOIL 35 B-component**

07-02-2024

13. Disposal consideration

Version 1.01

- · Waste treatment methods
- Recommendation:

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleaning agents: water, if necessary together with cleansing agent.

14. Transport information

٠	UN-number	
	ADR, IMDG, IATA	Not regulated
	UN proper shipping name	
	ADR, IMGD, IATA	Not regulated
	Transport hazard class(es)	
	ADR, AND, IMDG, IATA	Not regulated
	Class	5
	Packing group	
	ADR; IMDG, IATA	Not regulated
	Environmental hazards:	Not regulated
	Special precautions for user	Not applicable
	Transport additional information:	Not applicable
	UN « Model regulation » :	Not regulated

15. Regulatory information

Safety, health and environmental regulations: legislation specific for the product.

Directive 2012/18/EU

Named dangerous substances – ANNEX 1: None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII: Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

Chemical safety assessment: A chemical Safety Assessment has not been carried out.



(EC) No 1907/2006/EC article 31 **TEKINJECT PU 2C SOIL 35 B-component**

Version 1.01

07-02-2024

16. Additional information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases referred to under sections 2 and 3:

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

Abbreviations and acronyms:

ADR: European agreement concerning the International Carriage of Dangerous Goods by road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and labelling of chemicals.

EINECS: European Inventory of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the Ameriacan Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persitent, Bioaccummulative and Toxic

vPvB: very Persitent and very Bioacummulative

Acute Tox. 4: Acute toxicity – inhalation – Category 4.

Skin Irrit. 2: Skin corrosion/irritation – Category 2.

Eye Irrit. 2 : Serious eye damage/eye irritation – Category 2.

Resp. Sens. 1: Respiratory sensititasion – Category 1.

Resp. Sens. 1B: Respiratory sensititasion - Category 1B.

Skin Sens. 1: Skin sensititatsion – Category 1.

Skijn Sens. 1B: Skin sensititasion – Category 1B.

Carc. 2: Carcinogenicity – Category 2.

STOT SE3: Specific target organ toxicity (sngle exposure) – Category 3.

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2.