	TEKINJECT	Safety Data Sheet	
Vers	tion 1.01	(EC) No 1907/2006/EC article 31 TEKINJECT PU 1C FASTSTOP	13-05-2024
<u>l.</u>	Identification of the substa	ance/mixture and of the company/undertaking	
	Product identifier Product name: Type of product :	TEKINJECT PU 1C FASTSTOP Mixture	
	Relevant identified uses o Identified uses: Only for pr	f the substance or mixture and uses advised against ofessional use.	
	Details of the supplier of	the safety data sheet	
	Company:	TEKINJECT BV Kruisblok 6	
	E-mail address:	BE - 2320 HOOGSTRATEN <u>info@tekinject.com</u>	
	Emergency telephone nur	nber	
	24-hours emergency number	er: +32 494 239 441	
	National poison informatio	n service: This is a generic EU Safety Data Sheet. Consult you Specific member state version for this info	
<u>2.</u>	Hazard Identification		
	Classification accordi	ng to Regulation (EC) No 1272/2008	



GHS08 health hazard

Resp. Sens. 1	H334 May cause allergy or athma symptoms or breathing difficulties if
	inhaled.
Carc. 2	H351 Suspected of causing cancer.
STOT RE2	H373 May cause damage to organs through prolonged or repeated exposure.



.

Acute tox. 4	H332 Harmful if inhaled.
Skin irrit. 2	H315 Causes skin irritation.
Eye Irrit. 2	H319 Causes serious eye irritation.
Skin Sens. 1	H317 May cause an allergic skin reaction.
STOT SE 3	H335 May cause respiratory irritation.



Safety Data Sheet (EC) No 1907/2006/EC article 31 TEKINJECT PU 1C FASTSTOP

Version 1.01

13-05-2024

Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



· Signal word: Danger

· Hazard-determination components of labeling:

Diphenylmethanediisocyanate, isomers and homologues.

Isocyanic acid, polymethylenepolyphenylene ester, polymer with. alpha. - hydro. - omega -

- hydroxypolyoxy(methyl-1,2-ethanediyl)
- 4,4'-methylenediphenyl diisocyanate

Reaction mass of 4,4'-methylenediphenyl diisocyanate and o-(p-isocyanatobenzyl)fenylisocyanate Hazard statements:

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H334 May cause an allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.
- H351 Suspected of causing cancer.
- H373 May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements:

P260 Do breathe dust/mist/fume/gas/vapours/spray.

P261 Avoid breathing dust/fumes/gas/mist/vapors/spray.

P284 In case of inadequate ventilation, wear respiratory protection.

P305+P351+P338 IF IN EYES: rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P403+P233 Store in well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- Additional information: Contains isocyanates. May produce an allergic reaction.
- · Other hazards
- · Results of PBT and vPvB assessment:
- **PBT:** Not applicable
- · vPvB: Not applicable

ion 1.01	(EC) No 1907/2006/EC artic TEKINJECT PU 1C FASTST		13-05-2024
Composition/informa			
Description: mixt	re of substances with nonhazardous addi	itions.	
CAS 9016-87-9	Diphenylmethanediisocyanate, isomers and homologues	Resp. Sens. 1, H334 ; Carc. 2, H351 ; STOT RE 2, H373 Corce tox. 4, H332 ; Skin Irritant 2, H315 ; eye Irrit. 2, H319 ; skin sense. 1, H317 ; STOT SE3 H335	40 - 60 %
CAS 6425-39-4 EINECS : 229-19 Reg.nr. : 012119969278-20 xxxx		eye Irrit. 2, H319	3 - 5 %

Additional information: For the wording of the listed hazard phrases refer to section 16.

4. First aid measures

- Description of first aid measures.
- General information: Symptoms of poisoning may even occur after several hours; therefor medical observation for at least 48 hours after the accident.
- After inhalation: Supply fresh air and to be sure call for a doctor. In case of unconsciousness place the patient stable inside position for transportation.
- After skin contact: Thoroughly use a waterless soap to remove the remaining product. Afterwards rinse and wash with water and soap.
- After eye contact: Rinse opened eye for several minutes under running water, then consult a doctor.
- After swallowing: If symptoms persist, consult a doctor.

5. Fire-fighting measures

- Extinguishing media.
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- Special hazards arising from the substance or mixture: no relevant information available.
- Advise for firefighters: No relevant information available.
- **Protective equipment:** No special measures required.

6. Accidential releases measures

- Personal precautions, protective equipment and emergency procedures: Not required.
- Environmental precautions: Do not allow to enter sewers/surface or ground water.
- **Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binder, universal binder, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- References to other sections
 - See section 7 for information and safe handling.
 - See section 8 for information on personal protection equipment.
 - See section 13 for disposal information.



(EC) No 1907/2006/EC article 31 **TEKINJECT PU 1C FASTSTOP**

Version 1.01

13-05-2024

7. Handling and storage

- Precautions for safe handling: ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about fire- and explosion protection: No special measures required.
- Conditions for safe storage, including any incompatibilities.
- **Storage:** No special requirements
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- Specific end use(s): No further relevant information available.

Exposure control/personal protection

- Additional information about design of technical facilities: No further data: see section 7.
- **Control parameters**

Ingredients with limi	t values that require monitoring at the workplace:	
9016-87-9 diphenylm	ethanediisocyanate, isomers and homologues	
WEL	Short-term value: 0,07 mg/m ³	
	Long-term value: 0.02 mg/m^3	
	Sen; as -NCO	
6425-29-4 2,2'-dimop	holinyldiethyl ether	
Oral	Long term systemic effects: 0,5 mg/kg (consumer)	
Dermal	Long-term systemic effects: 0,5 mg/kg (consumer)	
	1 mg/kg (worker)	
Inhalative	Long-term systemic effects: 1,8 mg/m ³ (consumer)	
	7,28 mg/m ³ (Worker)	

- Additional information: The lists valid during the making were used as basis.
- **Exposure controls**
- Personal protective equipment.
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages, and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before break and at the end of the work.
- Avoid contact with eyes and skin. **Respiratory protection:**
- In case of brief exposure or low pollution, use respiratory filter device. In case of intensive or longer exposure, use self-contained respiratory protection device.
- **Protection of hands:**



The glove material must be impermeable and resistant to the product/the substances/the preparation. Due to missing tests no recommendation to the glove material can be given.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefor to be checked prior to the application.

<u>Penetration time of glove material:</u> The exact break through time must be found out by the manufacturer of the protective gloves and must be observed.



(EC) No 1907/2006/EC article 31 TEKINJECT PU 1C FASTSTOP

Version 1.01

Eye protection:

Tightly sealed goggles.

Information on basic physical and chemical pro	perties
General information	-
· Appearance:	
Form	Liquid
Colour	brown
Odour	Characteristic.
• pH-value:	Not determined.
• Change in condition	
Melting point/freezing point:	Not determined.
Initial boiling point and boiling range:	Not determined.
 Ignition temperature 	400 °C
· Flash point:	Not applicable
Flammability (solid,gas):	Not applicable.
• Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
• Explosive properties:	Product does not present an explosion hazard.
• Explosion limits :	
Lower:	1,5 Vol %
Upper:	12,5 Vol %
• Vapour pressure at 20 °C:	Not determined.
• Density at 20 °C:	$1,075 \text{ g/cm}^3$
Relative density:	Not determinded.
Vapour density :	Not determined.
• Evaporation rate:	Not determined.
Solubility in/miscibility with water:	Not miscible or difficult to mix.
Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic at 20 °C:	125 mPa.s
Kinematic:	Not determined.
· Solvent content:	
Organic solvent:	0,0 %
VOC (EC):	0,00 %
Other information:	No further relevant information.

10. Stability and reactivity

- Reactivity: No further relevant information available.
- Chemical stability:
- Thermal decomposition/conditions to be avoided: No decomposition if used according to specification.
- Possibility of hazardous reactions: No dangerous reactions known.
- Conditions to avoid: No further relevant information available. .
- Incompatible materials: No further relevant information available. .
- Hazardous decomposition products: No dangerous decomposition products known. .

13-05-2024



Safety Data Sheet

(EC) No 1907/2006/EC article 31 TEKINJECT PU 1C FASTSTOP

13-05-2024

Version 1.01

- **<u>11.</u>** Toxicological information
 - Information on toxicological effects
 - Acute toxicity : Harmfull if swallowed

LD/LC50 values	s relevant for classication:	
9016-87-9 diphe	nylmethanediisocyanate, isomers an	d homologues
Oral	LD50	1,311 mg/kg (rat)
Dermal	LD50	>9,400 mg/kg (Rabbit)
Oral	LD50	>10,000 mg/kg (Rat)
Dermal	LD50	>9,400 mg/kg (Rabbit)
LD/LC50 values	s relevant for classication:	
6425-39-4 2,2'-d	imorpholinyldiethyl ether	
Oral	LD50	2025 mg/kg (rat)
Dermal	LD50	3038 mg/kg (Rabbit)

- Primary irritant effect:
- Skin corrosion/irritation :
- Causes skin irritation.
- Serious eye damage/irritation:
- Causes serious eye irritation.
- Respiratory or skin sensitization:
- May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.
- CMR effect (carcinogenity, mutagenicity and toxicity for reproductions):
- Germ cell mutagenicity: based on available data, the classification criteria are not met.
- Carcinogenicity: suspected of causing cancer.
- **Reproductivity toxicity:** based on available data, the classification criteria are not met.
- **STOT-single exposure:** May cause respiratory irritation.
- STOT-repeated exposure: May cause damage to organs through prolonged or repeated exposure.
- Aspiration hazard: based on available data, the classification criteria are not met.

12. Ecological information

• Toxicity

Aquatic toxicity	Aquatic toxicity	
9016-87-9 Dipheny	Imethanediisocyanate, isomers and homologues	
LC50/96 h	>1,000 mg/l (zebrafish)	
EC50/24 h	>1,000 mg/l (daphnia)	
EC50/96 h	>1,000 mg/l (fish)	
EC50/72 h	>1,640 mg/l (algea)	
6425-39-4 2,2'-dim	orphonyldiethyl ether	
EC50/48 h	>100 mg/l (daphnia)	
EC50/96 h	>100 mg/l (algea)	
LC50/96 h	>2159 mg/l (freshwater fish)	



Safety Data Sheet (EC) No 1907/2006/EC article 31

TEKINJECT PU 1C FASTSTOP

Version 1.01

- Persistence and degradability: No further relevant information available.
- Behaviour in environmental systems: No further relevant information available.
- Bioaccumulative potential: No further relevant information available.
- Mobility in soil: No further relevant information available.
- Ecotoxical effects: No further relevant information available.
- Additional ecological information: No further relevant information available.
- **General notes:** Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.
 - Do not allow undiluted product or large quantities of it to reach ground water, water source or sewage system.
 - **Results of PBT and vPvB assessments:**
 - **PBT:** not applicable.
 - **vPvB:** not applicable.

Other adverse effects: No further relevant information available.

13. Disposal consideration

- · Waste treatment methods
- Recommendation :
- Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleaning agents: water, if necessary together with cleansing agent.

14. Transport information

UN-number	
ADR, IMDG, IATA	Not regulated
UN proper shipping name	
ADR, IMGD, IATA	Not regulated
Transport hazard class(es)	
ADR, AND, IMDG, IATA	Not regulated
Class	5
Packing group	
ADR; IMDG, IATA	Not regulated
Environmental hazards :	Not regulated
Special precautions for user	Not applicable
Transport additional information :	Not applicable
	11
UN « Model regulation » :	Not regulated

15. Regulatory information

Safety, health and environmental regulations: legislation specific for the product. Directive 2012/18/EU Named dangerous substances – ANNEX 1: None of the ingredients is listed. DECLU ATION (EC) No 1997/2006 ANNEX XVUs Conditions of metricities 2

REGULATION (EC) No 1907/2006 ANNEX XVII: Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

Chemical safety assessment: A chemical Safety Assessment has not been carried out.

TEKINJECT Safety Data Sheet

(EC) No 1907/2006/EC article 31 **TEKINJECT PU 1C FASTSTOP**

Version 1.01

13-05-2024

16. Additional information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Relevant phrases referred to under sections 2 and 3: H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H332 Harmful if inhaled. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335 May cause respiratory irritation. H351 Suspected of causing cancer. H373 May cause damage to organs through prolonged or repeated exposure. **Abbreviations and acronyms:** ADR: European agreement concerning the International Carriage of Dangerous Goods by road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and labelling of chemicals. EINECS: European Inventory of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the Ameriacan Chemical Society) VOC : Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persitent, Bioaccummulative and Toxic vPvB: very Persitent and very Bioacummulative Acute Tox. 4: Acute toxicity - inhalation - Category 4. Skin Irrit. 2: Skin corrosion/irritation – Category 2. Eye Irrit. 2 : Serious eye damage/eye irritation – Category 2. Resp. Sens. 1: Respiratory sensititasion - Category 1. Skin Sens. 1: Skin sensititatsion – Category 1. Carc. 2 : Carcinogenicity – Category 2. STOT SE3 : Specific target organ toxicity (sngle exposure) - Category 3. STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2.